Supplementary Information

Type of Article: Original Research

Title: Efficacy of Antihypertensive Therapy in Primary IgA Nephropathy in Adults: A Systematic Review and Network Meta-Analysis of Randomized Controlled Trials

Running Title: Antihypertensive Therapy in IgA Nephropathy

Authors: Yoshihito Iida[1], Guihua Gao[2], Chadia Beaini[3], Ali Ghanem[3], Sandeep Varma[4], Magdy Elsharkawy[5]

1 Department of Nephrology, Okanishi Clinic, Shimada, Japan

2 Department of Nephrology, Oeda Internal Medicine Clinic, Toyohashi, Japan

3 Department of Nephrology, Mediclinic Middle East, Dubai, United Arab Emirates

4 Department of Nephrology, Prime Hospital, Dubai, United Arab Emirates

5 Department of Nephrology, Ain-Shams University, Cairo, Egypt

Correspondence: Magdy Elsharkawy

Address: 1 Elsarayat St., Abbaseya, Cairo, Egypt, 11517

Department of Nephrology, Ain-Shams University

Email: magdi35@hotmail.com

Tel: (+20) 26831231

ORCID: https://orcid.org/0000-0002-2007-7385

Figure S1. PRISMA 2000 Flowchart of Included Studies



Figure S2. Network Praph of Enrolled Studies Identifying Proteinuria



Figure S3. Ranking Probability of Each Treatment in Reducing Proteinuria



Figure S4. Network Praph of Enrolled Studies Identifying eGFR



Figure S5. Ranking Probability of Each Treatment in Improving eGFR



Figure S6. Network Praph of Enrolled Studies Identifying Serum Creatinine



Figure S7. Ranking Probability of Each Treatment in Reducing Serum Creatinine



Figure S8: Meta-Analysis of Adverse Events



Figure S9: Heat Plot for Proteinuria Reduction



Figure S10: Heat Plot for Reducing Serum Creatinine



Figure S11: Summary of Risk of Bias